



# All Liquid Metal Polish

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard  
Issue date: 4/11/2023 Revision date: 4/11/2023 Version: 1.0

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : All Liquid Metal Polish

#### 1.2. Recommended use and restrictions on use

Recommended use : Polishing agent  
Restrictions on use : None known

#### 1.3. Supplier

Flitz International LTD  
821 Mohr Ave. Waterford, WI. 53185  
USA  
T (262) 534-5898  
[info@flitz.com](mailto:info@flitz.com)

#### 1.4. Emergency telephone number

Emergency number : 1 (800) 222-1222 (U.S.)

### SECTION 2: Hazard(s) identification


#### 2.1. Classification of the substance or mixture

##### GHS US classification

Flammable liquids Category 4	H227	Combustible liquid
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Full text of H statements : see section 16		

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS US) : 

Signal word (GHS US) : Warning

Hazard statements (GHS US) : H227 - Combustible liquid  
H317 - May cause an allergic skin reaction

Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 - Avoid breathing mist, vapors.  
P272 - Contaminated work clothing must not be allowed out of the workplace.  
P280 - Wear protective gloves.  
P302+P352 - If on skin: Wash with plenty of water.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P363 - Wash contaminated clothing before reuse.  
P370+P378 - In case of fire: Use extinguishing powder, carbon dioxide (CO<sub>2</sub>), alcohol resistant foam to extinguish.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P501 - Dispose of contents/container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

# All Liquid Metal Polish

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

No additional information available

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
2-Methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4	< 0.1

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general	: First aider: Pay attention to self-protection!
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms occur.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. If you feel unwell, seek medical advice.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects	: May cause an allergic skin reaction. May cause slight irritation to the skin. May cause minor eye irritation.
Inhalation	: No adverse effects expected under normal conditions of use. May cause minor irritation to the respiratory tract and to other mucous membranes.
Skin	: May cause an allergic skin reaction. Slight irritation.
Eyes	: May cause minor eye irritation.
Ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Chronic symptoms	: No chronic health hazards are likely for this material.

### 4.3. Immediate medical attention and special treatment, if necessary

None under normal conditions. Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Alcohol-resistant foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a solid water stream as it may scatter and spread fire.

# All Liquid Metal Polish

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

### 5.2. Specific hazards arising from the chemical

- Fire hazard : Combustible liquid. Keep away from open flames, hot surfaces and sources of ignition.  
Explosion hazard : Product is not explosive.  
Hazardous decomposition products in case of fire : Toxic vapors may be released. Hydrocarbon. Carbon oxides (CO, CO<sub>2</sub>).

### 5.3. Special protective equipment and precautions for fire-fighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. On heating, there is a risk of bursting due to internal pressure build-up. Cool down the containers exposed to heat with a water spray.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Ventilate area. No open flames. No smoking. Keep unnecessary and unprotected personnel away from the spillage. Do not touch or walk on the spilled product. Stop leak if safe to do so. Wear suitable protective clothing.

#### 6.1.1. For non-emergency personnel

- Emergency procedures : No open flames, no sparks, and no smoking. Ventilate spillage area. Avoid breathing mist, vapors. Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Do not allow product to spread into the environment. Report spill as required by local and federal regulations.

### 6.3. Methods and material for containment and cleaning up

- For containment : Ventilate spillage area. Absorb with an inert material and place in an appropriate waste disposal container. Collect spillage.  
Methods for cleaning up : Ventilate area. No flames, no sparks. Eliminate all sources of ignition. Take up liquid spill into absorbent material. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Notify authorities if product enters sewers or public waters.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure adequate ventilation. Avoid breathing vapors, mist. Avoid contact with skin and eyes. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Handle in accordance with good industrial hygiene and safety procedures.  
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

# All Liquid Metal Polish

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Incompatible materials : Store away from strong oxidizers, strong bases, strong acids.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### All Liquid Metal Polish

No additional information available

#### 2-Methylisothiazol-3(2H)-one (2682-20-4)

No additional information available

### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure adequate ventilation.
- Environmental exposure controls : Do not allow product to spread into the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Materials for protective clothing:

Wear suitable protective clothing

#### Hand protection:

Wear suitable gloves resistant to chemical penetration

#### Eye protection:

Not required for normal conditions of use

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

#### Thermal hazard protection:

Not applicable.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Appearance : Viscous liquid. Green.
- Color : Green
- Odor : Characteristic
- Odor threshold : No data available
- pH : 8.5
- Melting point : Not applicable
- Freezing point : No data available

# All Liquid Metal Polish

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Boiling point	: 100 °C
Flash point	: >65°C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 1.13 g/cm <sup>3</sup>
Solubility	: partly miscible.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: > 21 mm <sup>2</sup> /s
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: Product is not explosive.
Oxidizing properties	: Not oxidising.

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Incompatible materials.

### 10.5. Incompatible materials

Keep away from oxidizers, strong acids and strong bases.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### 2-Methylisothiazol-3(2H)-one (2682-20-4)

LD50 oral rat	120 mg/kg
LD50 dermal rat	242 mg/kg

# All Liquid Metal Polish

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

2-Methylisothiazol-3(2H)-one (2682-20-4)	
LC50 Inhalation - Rat (Dust/Mist)	0.1 mg/l/4h
Skin corrosion/irritation	: Not classified pH: 8.5
Serious eye damage/irritation	: Not classified pH: 8.5
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified (This product does not contain any component that is considered a carcinogen by IARC, ACGIH, OSHA or NTP.)
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: > 21 mm <sup>2</sup> /s
Symptoms/effects	: May cause an allergic skin reaction. May cause slight irritation to the skin. May cause minor eye irritation.
Inhalation	: No adverse effects expected under normal conditions of use. May cause minor irritation to the respiratory tract and to other mucous membranes.
Skin	: May cause an allergic skin reaction. Slight irritation.
Eyes	: May cause minor eye irritation.
Ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Chronic symptoms	: No chronic health hazards are likely for this material.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

2-Methylisothiazol-3(2H)-one (2682-20-4)	
LC50 - Fish [1]	4.77 mg/l Oncorhynchus mykiss (Rainbow trout)
EC50 - Crustacea [1]	0.934 mg/l
EC50 96h - Algae [1]	0.063 mg/l Raphidocelis subcapitata
ErC50 algae	0.072 mg/l Skeletonema costatum (marine diatom)
NOEC (chronic)	0.044 mg/l Daphnia magna (Water flea)
NOEC chronic fish	4.93 mg/l Oncorhynchus mykiss (Rainbow trout)
NOEC chronic algae	0.22 mg/l

### 12.2. Persistence and degradability

2-Methylisothiazol-3(2H)-one (2682-20-4)	
Not rapidly degradable	

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

# All Liquid Metal Polish

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Dispose of in accordance with applicable federal, state, and local regulations.

## SECTION 14: Transport information

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA
<b>14.1. UN number</b>		
Not regulated for transport		
<b>14.2. Proper Shipping Name</b>		
Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>		
Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>		
Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>		
Not applicable	Not applicable	Not applicable
No supplementary information available		

### 14.6. Special precautions for user

#### DOT

No data available

#### IMDG

No data available

#### IATA

No data available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### All Liquid Metal Polish

SARA Section 311/312 Hazard Classes

Refer to Section 2 for OSHA Hazard Classification.

# All Liquid Metal Polish

## Safety Data Sheet

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

#### All Liquid Metal Polish

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## SECTION 16: Other information

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Revision date : 4/11/2023

#### Full text of H-phrases

H227	Combustible liquid
H317	May cause an allergic skin reaction

#### Indication of changes:

new version.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.