


MOUNTING DEPTH DIMENSION ROUNDED UP TO NEAREST 1/16th"
measured inches convert to **mm equivalent** add **1.6mm=1/16th** then **software rounds to nearest 1/16th**




DESCRIPTION:

6.75" CompRT Subwoofer


SIZE	DWG. NO.	REV	SHEET
B	48CWRT67-CSD	B	2/3

CARTON ART
VIEWS/PUBLISHED
DIMENSIONS SHEET


MOUNTING DEPTH DIMENSION ROUNDED UP TO NEAREST 1/16th"
measured inches convert to mm equivalent add 1.6mm=1/16th then software rounds to nearest 1/16th




FRONT



SIDE



BACK



ISOMETRIC

Item Number	Impedance
48CWRT82	2OHM DVC
48CWRT84	4OHM DVC

CUSTOMER SERVICE DIMENSIONS




DESCRIPTION:
8" CompRT Subwoofer


SIZE	DWG. NO.	REV	SHEET
B	48CWRT8-CSD	B	2/3

CARTON ART
VIEWS/PUBLISHED
DIMENSIONS SHEET


MOUNTING DEPTH DIMENSION ROUNDED UP TO NEAREST 1/16th"
measured inches convert to mm equivalent add 1.6mm=1/16th then software rounds to nearest 1/16th



FRONT



SIDE



BACK



ISOMETRIC

Item Number	Impedance
48CWRT102	2OHM DVC
48CWRT104	4OHM DVC

CUSTOMER SERVICE DIMENSIONS





DESCRIPTION:
10" CompRT Subwoofer

SIZE	DWG. NO.	REV	SHEET
B	48CWRT10-CSD	B	2/3


CARTON ART
VIEWS/PUBLISHED
DIMENSIONS SHEET

MOUNTING DEPTH DIMENSION ROUNDED UP TO NEAREST 1/16th"
measured inches convert to mm equivalent add 1.6mm=1/16th then software rounds to nearest 1/16th



Ø 12-9/16"
[31.9cm]

FRONT



15/16"
[2.5cm]
INSTALLED
PROTRUSION

Ø 11"
[27.9cm]
MOUNTING
DIAMETER

Ø 6-5/8"
[16.9cm]
MOTOR
DIAMETER

3-3/4"
[9.6cm]
MOUNTING
DEPTH
SIDE

COIL 1
NEG BLACK

COIL 1
POS RED

Ø 11-5/8"
[29.5cm]
HOLE PATTERN

COIL 2
POS RED

COIL 2
NEG BLACK

8 x Ø 3/16"
[0.5cm]

BACK



ISOMETRIC

Item Number	Impedance
48CWRT122	2OHM DVC
48CWRT124	4OHM DVC

CUSTOMER SERVICE DIMENSIONS



DESCRIPTION:
12" CompRT Subwoofer

SIZE	DWG. NO.	REV	SHEET
B	48CWRT12-CSD	B	2/3