

Galvanized (Zinc-Plated) Steel		Diameter		L.T.		L.I.1		L.I.2		H.T.		H.I.		O		E		R		T		Weight		Working Load Limit		Breaking Load	
Manufacturer Part Number	Model Number	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	g	oz	kg	lbs	kg	lbs
D-025-GS	MRDZ02.5	2.5	3/32"	22.0	0.87"	10.0	0.39"	17.0	0.67"	27.0	1.06"	22.0	0.87"	3.5	0.14"	8.0	0.31"	3.50	0.14"	3.5	0.14"	3	0.11	25	55	125	276
D-030-GS	MRDZ03.0	3.0	7/64"	27.0	1.06"	12.5	0.49"	21.0	0.83"	30.0	1.18"	24.0	0.94"	4.0	0.16"	9.0	0.35"	4.25	0.17"	4.0	0.16"	6	0.21	40	88	200	441
D-035-GS	MRDZ03.5	3.5	1/8"	31.0	1.22"	14.0	0.55"	24.0	0.94"	36.0	1.42"	29.0	1.14"	5.0	0.2"	11.0	0.43"	5.00	0.2"	5.0	0.2"	9	0.32	70	154	350	772
D-040-GS	MRDZ04.0	4.0	5/32"	35.5	1.4"	16.0	0.63"	27.5	1.08"	40.0	1.57"	32.0	1.26"	5.5	0.22"	12.5	0.49"	5.75	0.23"	6.0	0.24"	14	0.49	100	220	500	1102
D-050-GS	MRDZ05.0	5.0	3/16"	40.0	1.57"	17.0	0.67"	30.0	1.18"	48.0	1.89"	38.0	1.5"	6.5	0.26"	16.0	0.63"	6.50	0.26"	7.0	0.28"	23	0.81	150	331	750	1653
D-060-GS	MRDZ06.0	6.0	1/4"	47.0	1.85"	20.5	0.81"	35.0	1.38"	56.0	2.2"	44.0	1.73"	7.5	0.3"	19.0	0.75"	7.25	0.29"	9.0	0.35"	39	1.38	250	551	1250	2756
D-070-GS	MRDZ07.0	7.0	9/32"	51.0	2.01"	21.0	0.83"	37.0	1.46"	63.0	2.48"	49.0	1.93"	8.5	0.33"	21.5	0.85"	8.00	0.31"	10.0	0.39"	58	2.05	400	882	2000	4409
D-080-GS	MRDZ08.0	8.0	5/16"	56.0	2.2"	22.5	0.89"	40.0	1.57"	73.0	2.87"	57.0	2.24"	10.0	0.39"	24.0	0.94"	8.85	0.35"	11.0	0.43"	88	3.1	550	1213	2750	6063
D-080-GS-PPE	MRDZ08.0 EN	8.0	5/16"	56.0	2.2"	22.5	0.89"	40.0	1.57"	73.0	2.87"	57.0	2.24"	10.0	0.39"	24.0	0.94"	8.85	0.35"	11.0	0.43"	88	3.1	-	-	2753	6069
D-090-GS	MRDZ09.0	9.0	3/8"	60.0	2.36"	23.0	0.91"	42.0	1.65"	78.0	3.07"	60.0	2.36"	11.0	0.43"	26.0	1.02"	9.50	0.37"	12.0	0.47"	115	4.06	700	1543	3500	7716
D-100-GS	MRDZ10.0	10.0	7/16"	66.0	2.6"	25.5	1"	46.0	1.81"	87.0	3.43"	67.0	2.64"	12.0	0.47"	29.0	1.14"	10.25	0.4"	13.0	0.51"	153	5.4	900	1984	4500	9921
D-100-GS-PPE	MRDZ10.0 EN	10.0	7/16"	66.0	2.6"	25.5	1"	46.0	1.81"	87.0	3.43"	67.0	2.64"	12.0	0.47"	29.0	1.14"	10.25	0.4"	13.0	0.51"	153	5.4	-	-	4589	10117
D-120-GS	MRDZ12.0	12.0	1/2"	75.0	2.95"	27.5	1.08"	51.0	2.01"	104.0	4.09"	80.0	3.15"	15.0	0.59"	33.0	1.3"	11.75	0.46"	15.0	0.59"	256	9.03	1100	2425	5500	12125
D-120-GS-PPE	MRDZ12.0 EN	12.0	1/2"	75.0	2.95"	27.5	1.08"	51.0	2.01"	104.0	4.09"	80.0	3.15"	15.0	0.59"	33.0	1.3"	11.75	0.46"	15.0	0.59"	256	9.03	-	-	5608	12364
D-140-GS	MRDZ14.0	14.0	9/16"	85.0	3.35"	30.5	1.2"	57.0	2.24"	123.0	4.84"	95.0	3.74"	17.0	0.67"	38.5	1.52"	13.25	0.52"	17.0	0.67"	404	14.25	1800	3968	9000	19842
D-160-GS	MRDZ16.0	16.0	5/8"	93.0	3.66"	31.5	1.24"	61.0	2.4"	138.0	5.43"	106.0	4.17"	19.0	0.75"	45.0	1.77"	14.75	0.58"	19.0	0.75"	612	21.59	2200	4850	11000	24251
D-180-GS	MRDZ18.0	18.0	11/16"	102.0	4.02"	32.5	1.28"	66.0	2.6"	155.0	6.1"	119.0	4.69"	23.0	0.91"	52.0	2.05"	16.25	0.64"	22.0	0.87"	845	29.81	2600	5732	13000	28660
D-200-GS	MRDZ20.0	20.0	25/32"	112.0	4.41"	31.5	1.24"	72.0	2.83"	176.0	6.93"	136.0	5.35"	24.0	0.94"	60.0	2.36"	17.75	0.7"	24.0	0.94"	1185	41.8	3000	6614	15000	33069

Stainless Steel		Diameter		L.T.		L.I.1		L.I.2		H.T.		H.I.		O		E		R		T		Weight		Working Load Limit		Breaking Load	
Manufacturer Part Number	Model Number	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	g	oz	kg	lbs	kg	lbs
D-025-SS	MRDI02.5	2.5	3/32"	22.0	0.87"	10.0	0.39"	17.0	0.67"	27.0	1.06"	22.0	0.87"	3.5	0.14"	8.0	0.31"	3.50	0.14"	3.5	0.14"	3	0.11	70	154	350	772
D-030-SS	MRDI03.0	3.0	7/64"	27.0	1.06"	12.5	0.49"	21.0	0.83"	30.0	1.18"	24.0	0.94"	4.0	0.16"	9.0	0.35"	4.25	0.17"	4.0	0.16"	6	0.21	110	243	550	1213
D-035-SS	MRDI03.5	3.5	1/8"	31.0	1.22"	14.0	0.55"	24.0	0.94"	36.0	1.42"	29.0	1.14"	5.0	0.2"	11.0	0.43"	5.00	0.2"	5.0	0.2"	10	0.35	150	331	750	1653
D-040-SS	MRDI04.0	4.0	5/32"	35.5	1.4"	16.0	0.63"	27.5	1.08"	40.0	1.57"	32.0	1.26"	5.5	0.22"	12.5	0.49"	5.75	0.23"	6.0	0.24"	14	0.49	200	441	1000	2205
D-050-SS	MRDI05.0	5.0	3/16"	40.0	1.57"	17.0	0.67"	30.0	1.18"	48.0	1.89"	38.0	1.5"	6.5	0.26"	16.0	0.63"	6.50	0.26"	7.0	0.28"	24	0.85	325	717	1625	3583
D-060-SS	MRDI06.0	6.0	1/4"	47.0	1.85"	20.5	0.81"	35.0	1.38"	56.0	2.2"	44.0	1.73"	7.5	0.3"	19.0	0.75"	7.25	0.29"	8.0	0.31"	40	1.41	450	992	2250	4960
D-070-SS	MRDI07.0	7.0	9/32"	51.0	2.01"	21.0	0.83"	37.0	1.46"	63.0	2.48"	49.0	1.93"	8.5	0.33"	21.5	0.85"	8.00	0.31"	10.0	0.39"	59	2.08	625	1378	3125	6889
D-070-SS-PPE	MRDI07.0 EN	7.0	9/32"	51.0	2.01"	21.0	0.83"	37.0	1.46"	63.0	2.48"	49.0	1.93"	8.5	0.33"	21.5	0.85"	8.00	0.31"	10.0	0.39"	59	2.08	-	-	3161	6969
D-080-SS	MRDI08.0	8.0	5/16"	56.0	2.2"	22.5	0.89"	40.0	1.57"	73.0	2.87"	57.0	2.24"	10.0	0.39"	24.0	0.94"	8.85	0.35"	11.0	0.43"	88	3.1	770	1698	3850	8488
D-090-SS	MRDI09.0	9.0	3/8"	60.0	2.36"	23.0	0.91"	42.0	1.65"	78.0	3.07"	60.0	2.36"	11.0	0.43"	26.0	1.02"	9.50	0.37"	12.0	0.47"	115	4.06	980	2161	4900	10803
D-100-SS	MRDI10.0	10.0	7/16"	66.0	2.6"	25.5	1"	46.0	1.81"	87.0	3.43"	67.0	2.64"	12.0	0.47"	29.0	1.14"	10.25	0.4"	13.0	0.51"	156	5.5	1250	2756	6250	13779
D-120-SS	MRDI12.0	12.0	1/2"	75.0	2.95"	27.5	1.08"	51.0	2.01"	104.0	4.09"	80.0	3.15"	15.0	0.59"	33.0	1.3"	11.75	0.46"	15.0	0.59"	262	9.24	1750	3858	8750	19290
D-140-SS	MRDI14.0	14.0	9/16"	85.0	3.35"	30.5	1.2"	57.0	2.24"	123.0	4.84"	95.0	3.74"	17.0	0.67"	38.5	1.52"	13.25	0.52"	17.0	0.67"	414	14.6	2450	5401	12250	27007
D-160-SS	MRDI16.0	16.0	5/8"	93.0	3.66"	31.5	1.24"	61.0	2.4"	138.0	5.43"	106.0	4.17"	19.0	0.75"	45.0	1.77"	14.75	0.58"	19.0	0.75"	627	22.12	3150	6945	15750	34723

Aluminum Alloy (Zircal)		Diameter		L.T.		L.I.1		L.I.2		H.T.		H.I.		O		E		R		T		Weight		Working Load Limit		Breaking Load	
Manufacturer Part Number	Model Number	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	g	oz	kg	lbs	kg	lbs
D-070-ZN	MRDZIC07.0	7.0	9/32"	51.0	2.01"	21.0	0.83"	37.0	1.46"	63.0	2.48"	49.0	1.93"	8.5	0.33"	21.5	0.85"	8.00	0.31"	10.0	0.39"	21	0.74	175	386	875	1929
D-100-ZN	MRDZIC10.0	10.0	7/16"	66.0	2.6"	25.5	1"	46.0	1.81"	87.0	3.43"	67.0	2.64"	12.0	0.47"	29.0	1.14"	10.25	0.4"	13.0	0.51"	55	1.94	350	772	1750	3858