



VHS1 - Hydraulic steering oil

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878 Date of issue: 7/3/2018 Revision date: 10/10/2022 Replaces version of: 3/16/2022 Version: 1.5

SECTION 1: Identification of the substance or mixture and of the company/undertaking

1.1. Product identification

Productvorm : Mixture
 Trade name : VHS1
 UFI : 54E0-101A-400M-W2FU
 Product code : 06.30.20
 Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant Identified Use

Intended for the general public
 Main use category : Industrial use, Professional use, Consumer use
 Use of the substance or mixture : Hydraulic oil
 Function or use category : Hydraulic fluids and additives

1.2.2. Use advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

VETUS BV
 Fokkerstraat 571, 3125 BD Schiedam
 The Netherlands
 T 0031 88 4884700
 info@vetus.com

1.4. Emergency phone number

Land	Organization/Company	Address	Emergency number	Remark
International	https://poisoncentres.echa.europa.eu/appointed-bodies			
The Netherlands	National Poison Information Center	Home post number B.00.118 PO Box 85500 3508 GA Utrecht	+31 88 755 80 00	Intended exclusively to inform professional emergency responders in case of acute poisoning

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aspiration hazard, Category 1 H304
 Chronic hazard to the aquatic environment, Category 3 H412
 Full text of H and EUH phrases: see section 16

Adverse physico-chemical, health and environmental effects

Can be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.

VHS1 - Hydraulic steering oil

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

2.2. Labeling elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS08

Signal word (CLP)

: Danger

Contains

: Distillates (petroleum), hydrotreated light paraffinic, Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics

Hazard statements (CLP)

: H304 - May be fatal if swallowed and enters airways.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statements (CLP)

: P101 - If medical advice is needed, have product container or label at hand to hold.

P102 - Keep out of reach of children.

P273 - Avoid release to the environment.

P301+P310+P331 - IF SWALLOWED: Get medical advice immediately. DO NOT induce vomiting.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point in accordance with local, regional, national and/or international regulations.

2.3. Other hazards

Contains no PBT or vPvB substances > 0.1% assessed according to REACH Annex XIII

Component	
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)	This substance/mixture does not meet the PBT criteria of the REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH, annex XIII

The mixture does not contain any substances listed under Article 59(1) of REACH for having endocrine disrupting properties or identified as having endocrine disrupting properties according to the criteria set out in Delegated Regulation (EU) 2017/ 2100 or Delegated Regulation (EU) 2018/605 in a concentration equal to or higher than 0.1%.

SECTION 3: Composition/information on ingredients

3.1. Substances

Does not apply

3.2. Mixtures

Comments : Highly refined mineral oils and additives.

Name	Product identification	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	EC number: 934-954-2 REACH-nr: 01-2119826592-36	50 – 80	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated light paraffinic (Note L)	CAS-No: 64742-55-8 EG-No: 265-158-7 EU Identification No: 649-468-00-3 REACH-nr: 01-2119487077-29	25 – 80	Asp. Tox. 1, H304

VHS1 - Hydraulic steering oil

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

Name	Product identification	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2,6-Di-tert-butylphenol	CAS-No: 128-39-2 EC number: 204-884-0 REACH-nr: 01-2119490822-33	< 1	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Tris(methylphenyl) phosphate	CAS-No: 1330-78-5 EC number: 215-548-8 REACH-nr: 01-2119531335-46	< 1	Repr. 2, H361f Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
naphthalene substance with national exposure limit value(s) in the workplace (BE, NL); substance for which within the Community has an exposure limit in the workplace	CAS-No: 91-20-3 EG-No: 202-049-5 EU Identification No: 601-052-00-2 REACH-nr: 01-2119561346-37	< 0,1	Carc. 2, H351 Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Comments : This highly refined oil contains <3% (w/w) DMSO extract, determined according to IP346.

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This Note applies only to certain complex petroleum derivatives in Part 3.

Full text of H and EUH phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

general first aid : Call a doctor immediately.

First aid after inhalation : Remove person to fresh air and keep comfortable for breathing.

First aid after skin contact : No irritating effect. Wash the skin with plenty of water.

First aid after eye contact : Rinse immediately with plenty of water, keeping the eyes wide open (at least 15 minutes). As a precaution, rinse eyes with water.

First aid after ingestion : Do not induce vomiting. Call a doctor immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after ingestion : Risk of pulmonary oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Nebulized water. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a strong jet of water.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid.

Hazardous decomposition products in case of fire : Possibility of formation of toxic fumes. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

VHS1 - Hydraulic steering oil

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to intervene without suitable protective equipment. Self-contained breathing apparatus. Full protective clothing.

SECTION 6: Accidental release measures of the substance or mixture

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For persons other than the emergency services

Noodprocedures : Ventilate contaminated area.

6.1.2. For the emergency services

Protective equipment : Do not attempt to intervene without suitable protective equipment. For further information see section 8: "Exposure controls/personal protection".

6.2. Environmental Precautions

Avoid release into the environment.

6.3. Containment and cleaning methods and materials

Cleaning methods : Take up spilled liquid with an absorbent material. Absorb spilled liquid with an absorbent.

Other information : Dispose of waste or solid residues to an approved waste disposal facility.

6.4. Reference to other sections

See Section 7. For more information, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling of the substance or mixture

Precautions for safe handling of the substance or mixture : Ensure good ventilation of the workplace. Wear a personal one protection equipment.

Hygiene measures : Do not eat, drink or smoke while using this product. Always wash hands after handling this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep locked up. Store in a well-ventilated place. Keep cool. : <40°C
Storage temperature

7.3. Specific end use

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Controleparameters

8.1.1 National Occupational Exposure Values and Biological Limit Values

EU - Indicative Occupational Exposure Limit (IOEL)

Exposure limits/standards that can be set when handling this product. When fog or mist may occur, the following is recommended

5 mg/m³ - ACGIH TLV (inhalable fraction).

VHS1 - Hydraulic steering oil

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

naphthalene (91-20-3)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Naphthalene
IOL TWO	50 mg/m ³
Remark	(Year of adoption 2010)
Reference Legislation	COMMISSION DIRECTIVE 91/322/EEC; SCOEL Recommendations
Belgium - Occupational Exposure Limits	
Local name	Naphthalene # Naphthalene
OEL TWO	53 mg/m ³
OEL TWA [ppm]	10 ppm
OIL SET	80 mg/m ³
OEL STEL [ppm]	15 ppm
Remark	D: la mention "D" signifie que la sorption de l'agent, via la peau, les muqueuses ou les yeux, constitue une partie importante de l'exposition Totaal. Cette résorption peut se faire tant par contact direct que par présence de l'agent dans l'air. # D: The statement "D" means that absorption of the agent through the skin, mucous membranes or eyes is a major part of the total exposure. This ingestion can result from both direct contact and its presence in the air.
Reference Legislation	Royal Decree/Arrêté royal 11/05/2021
Netherlands - Occupational exposure limits	
Local name	Naphthalene
TGG-8u (OEL TWA)	50 mg/m ³
TGG-15min (OEL SET)	80 mg/m ³
Reference Legislation	Working conditions regulation 2022

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Formed Air Pollutants

No additional information available

8.1.4. DNEL en PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate technical measures

Appropriate engineering controls:

Ensure good ventilation of the workplace.

8.2.2. Personal protective equipment

Symbol(s) for personal protective equipment:



VHS1 - Hydraulic steering oil

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

8.2.2.1. Protection of the eyes and face

Eye protection:
Safety glasses

Eye protection			
Type	Scope of application	Characteristics	Norm
Safety glasses	Droplets	bright	AT 166

8.2.2.2. Protection skin

Skin and body protection:
Wear suitable protective clothing

Hand protection: Hand protection: a skin cream may be used. Impermeable gloves. PVC gloves. Nitrile rubber gloves

Hand protection					
Type	Material	permeation	Thickness (mm)	Penetration	Norm
Reusable gloves	Nitrilrubber (NBR)	6 (> 480 minutes)	ÿ0.35		IN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:
In case of insufficient ventilation, use suitable respiratory equipment

Respiratory protection			
Device	Type filter	Condition	Norm
	Type A - Organic compounds with a high boiling point (> 65°C), Type P2	If concentration in air > exposure limit	IN 14387

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Limitation and control of environmental exposure

Limitation and control of environmental exposure: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Green.
Odor	: characteristic.
Odor threshold value	: Not available
Melting point	: Not applicable : -51 °C -
Freezing point	ASTM D5950 (pour point)
Boiling point	: Not available
Flammability	: Does not apply
Explosion limits	: Not available
Lower explosive limit value	: 0.5 vol % : 5
Upper explosive limit value	vol %
Flash point	: 105 °C - ASTM D93 (PM)
Auto-ignition temperature	: Not available

VHS1 - Hydraulic steering oil

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: 18 mm ² /s (40 °C) - ASTM D7279
Solubility	: Water: Insoluble / Poorly miscible
Partition coefficient n-octanol/water (Log Kow)	: Not available
Steam tension	: 0.1 hPa (20°C)
Vapor pressure at 50 °C	: Not available
Density	: 0,847 g/cm ³ (15 °C) - ASTM D4052
relative density	: Not available
Relative vapor density at 20 °C	: Not available
Particle characteristics	: Does not apply

9.2. Other information

9.2.1. Information on physical hazard classes

No additional information available

9.2.2. Other security features

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possible hazardous reactions

No dangerous reactions known. Reacts violently with (strong) oxidising agents.

10.4. Conditions to avoid

No decomposition under normal storage conditions.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, no hazardous decomposition products will be formed.

SECTION 11: Toxicological information

11.1. Hazard class information as defined in Regulation (EC) No 1272/2008

Acute Toxicity (Oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute Toxicity (Inhalation)	: Not classified

Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	5,53 mg/l/4u

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics

LD50 oral rat	> 5000 mg/kg (OECD 401 methode)
---------------	---------------------------------

VHS1 - Hydraulic steering oil

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	
LD50 dermal rabbit	> 3160 mg/kg (OECD 402 methode)
LC50 Inhalation - Rat (Dust/Mist)	> 5,266 mg/l/4u (OECD 403 methode)
2,6-Di-tert-butylphenol (128-39-2)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
naphthalene (91-20-3)	
LD50 oral rat	> 533 mg/kg
LD50 dermaal rat	> 2000 mg/kg
Tris(methylphenyl) phosphate (1330-78-5)	
LD50 oral rat	> 3700 mg/kg
LD50 dermal rabbit	> 10000 mg/kg
LC50 Inhalation - Rat	> 11,1 mg/l (aerosol, 1h)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT on repeated exposure	: Not classified
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)	
LOAEL (oral, rat, 90 days)	125 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Inhalation hazard	: May be fatal if swallowed and enters airways.
Viscosity, kinematic	18 mm ² /s (40 °C) - ASTM D7279
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)	
Viscosity, kinematic	< 20,5 mm ² /s
Aliphatic, alicyclic or aromatic hydrocarbon	Yes
11.2. Information about other hazards	
No additional information available	
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: Harmful to aquatic life with long lasting effects.
Danger to the aquatic environment, (acute) in the short term	: Not classified
Hazardous to the aquatic environment, (chronic) long-term	: Harmful to aquatic life with long lasting effects.
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)	
LC50 - Fishing [1]	> 100 mg/l 96h

VHS1 - Hydraulic steering oil

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)	
EC50 - Crustaceans [1]	> 10000 mg/l
EC50 72h - Algae [1]	ÿ 100 mg/l
NOEC chronic crustaceans	10 mg/l 21d
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	
LC50 - Fishing [1]	> 1028 mg/l (Scophthalmus maximus, 96h) [OECD 203]
EC50 - Crustaceans [1]	> 3193 mg/l (Acartia tonsa, 48h) [ISO 14669]
EC50 72h - Algae [1]	> 10000 mg/l (Skeletonema costatum, 72h) [ISO 10253]
NOEC chronic vis	> 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox, 28d)
NOEC chronic crustaceans	> 1000 mg/l (Daphnia magna - QSAR Petrotox, 21d)
2,6-Di-tert-butylphenol (128-39-2)	
EC50 - Crustaceans [1]	0,45 mg/l (Daphnia magna, freshwater, 48h)
EC50 72h - Algae [1]	1,4 mg/l (Selenastrum capricornutum, freshwater)
naphthalene (91-20-3)	
LC50 - Fishing [1]	0,51 mg/l 96h
EC50 - Crustaceans [1]	3,4 mg/l Daphnia magna - 48h
Tris(methylphenyl) phosphate (1330-78-5)	
LC50 - Fishing [1]	0,6 mg/l
EC50 - Crustaceans [1]	14 ÿg/l (Daphnia magna, 48h)
EC50 72h - Algae [1]	0,4 mg/l (Desmodesmus subspicatus, 72h)
NOEC (chronic)	0,01 mg/l (Jordanella floridae, 28d)
12.2. Persistence and degradability	
Persistence and degradability	Readily biodegradable.
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)	
Persistence and degradability	Not established.
Biodegradation	31 % (OECD 301F method)
2,6-Di-tert-butylphenol (128-39-2)	
Biodegradation	5 % Sturm (28 d)
Tris(methylphenyl) phosphate (1330-78-5)	
Biodegradation	80 % (28d) (OECD 301C method)
12.3. Bioaccumulation	
Distillates (petroleum), hydrotreated light paraffinic (64742-55-8)	
Partition coefficient n-octanol/water (Log Pow)	> 6
Bioaccumulation	Not established.
2,6-Di-tert-butylphenol (128-39-2)	
Partition coefficient n-octanol/water (Log Kow)	4,5 Octanol/water (0,1 d)

VHS1 - Hydraulic steering oil

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

naphthalene (91-20-3)

Partition coefficient n-octanol/water (Log Pow)	3,01
---	------

Tris(methylphenyl) phosphate (1330-78-5)

Partition coefficient n-octanol/water (Log Pow)	5,93
---	------

12.4. Mobility in the soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other harmful effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods
EURAL-code

: Dispose of contents/packaging in accordance with the sorting instructions of an approved collection company. : 13 01 10* - non-chlorinated mineral hydraulic oil

SECTION 14: Transport information

Compliant with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	THERE IT IS	dna	RID
14.1. UN number or ID number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. Proper shipping name according to UN Model Regulations				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No additional information available				

14.6. Special precautions for user

Road transport

Not regulated

Transport on the open sea

Not regulated

VHS1 - Hydraulic steering oil

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

Air transport

Not regulated

Transport on inland waterways

Not regulated

Railway transport

Not regulated

14.7. Bulk maritime transport in accordance with IMO instruments

Does not apply

SECTION 15: Regulatory information

15.1. Specific safety, health and environmental regulations and legislation for the substance or mixture

15.1.1. EU regulations

REACH Annex XVII (restricted use substances)

Contains no substances subject to REACH Annex XVII restrictions

REACH annex XIV (list of substances subject to authorization)

Does not contain any substance listed in Annex XIV of REACH

REACH candidate list (SVHC)

Contains no REACH candidate list substances

PIC Regulation (prior informed consent)

Contains no substances covered by Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) covered by Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants.

Ozone Regulation (1005/2009)

Contains no substances covered by REGULATION (EC) No. 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Biocideverordening (528/2012)

Childproof closure : Applicable

Tactile warning of danger : Applicable

Explosives Precursors Regulation (2019/1148)

Contains no substances covered by Regulation (EU) No 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Regulation on Precursors for Medicines (273/2004)

Contains no substances included in the list of drug precursors (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

The Netherlands

ABM categories : A(2) - toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

SZW list of carcinogenic substances : None of the components are present

SZW list of mutagens : None of the components are present

SZW list of reprotoxic substances - Breastfeeding : None of the components are present

SZW list of reprotoxic substances – : None of the components are present

Fertility

SZW list of reprotoxic substances - Development : None of the components are present

VHS1 - Hydraulic steering oil

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes

column	changed item	Change	Comments
1.2	Use of the substance or mixture	Added	
1.2	Function or use category	Added	
9.1	Solubility in water	Added	
13.1	H-code	Added	

Abbreviations and acronyms:

dna	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
THAT	Biochemical Oxygen Demand (BOD)
COD	Chemical Oxygen Demand (COD)
DMEL	Derived dose with minimal effect
TODAY	Derived no-effect dose
EC-No	European Commission Number
EC50	Median effective concentration
IN	European standard
IARC	International Center for Cancer Research
THERE IT IS	International Air Transport Association
IMDG	International Code for the Carriage of Dangerous Goods by Sea
LC50	Concentration that causes death in 50% of a test population
LD50	Dose leading to death in 50% of a test population (median lethal dose)
LOEL	Lowest dose or concentration at which an adverse effect was found
NOAH	Concentration at which no harmful effect was found
NOAEL	Dose or concentration at which no adverse effect was observed
NOEC	Concentration with no observed effects
OECD	Organization for Economic Co-operation and Development, OECD
OIL	Occupational Exposure Limit
PBT	Persistent, bioaccumulative and toxic substance
PNEC	Predicted No Effect Concentration(s).
RID	Regulations concerning the international carriage of dangerous goods by rail
VIB	Safety Data Sheet

VHS1 - Hydraulic steering oil

Safety Data Sheet

according to REACH Regulation (EC) 1907/2006 as amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
STP	Water treatment plant
ThZV	Theoretical Oxygen Demand (TZV)
TLM	Median Tolerance Limit
YOUR	Volatile organic compounds
CAS-No	Chemical Abstract Service - Nummer
N.E.G.	Not Mentioned Elsewhere
vPvB	Very persistent and very bioaccumulative, vPvB
ED	Endocrine disrupting properties

Full text of sentences H and EUH:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Acute aquatic hazard, Category 1
Aquatic Chronic 1	Chronic hazard to the aquatic environment, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Cargo. 2	Carcinogenicity, Category 2
H302	Harmful if swallowed.
H304	Can be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H351	Suspected of causing cancer.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic organisms.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental aspects only. It should therefore not be construed as a guarantee for any specific property of the product.